

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	10/715421	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:03
L2	23683600	@ad<="20021122" or @rlad<="20021122" or @ptad<="20021122" or @pt1d<="20021122" or @pt3d<="20021122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:23
L3	184342	(logic\$4 near3 channel\$4) with true wih false	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:23
L4	11	(logic\$4 near3 channel\$4) with true with false	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:25
L5	10	2 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:24
L6	0	channel\$4 with true with false with (mac (medium near3 access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:26
L7	0	channel\$4 with true with false with (pdu (data near3 unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:27
L8	45	channel\$4 same true same false same (pdu (data near3 unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:31
L9	43	2 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:27

EAST Search History

L10	1	(mac (medium near3 access)) same (pdu (data near3 unit)) and ((logical\$4 near3 channel\$4) near9 true near9 false)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:33
L11	15	(mac (medium near3 access)) same (pdu (data near3 unit)) and (channel\$4 near9 true near9 false)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:34
L12	1	2 and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:33
L13	2	(mac (medium near3 access)) same (transport near3 channel) and (channel\$4 near9 true near9 false)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:35
L14	0	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:34
L15	0	13 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:34
L16	1	(mac (medium near3 access)) same (transport near3 channel) and ((channel\$4 near3 logical\$4) near9 ("yes" true) near9 ("no" false))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:36
L17	5	(mac (medium near3 access)) same (transport near3 channel) and ((channel\$4) near9 ("yes" true) near9 ("no" false))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:36
L18	3	2 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:36
S1	23683096	@ad<="20021122" or @rlad<="20021122" or @ptad<="20021122" or @pt1d<="20021122" or @pt3d<="20021122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:23

EAST Search History

S2	5	(logical\$4 near3 channel\$4) with (data near3 characterist\$4) with (\$transmit\$6 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 18:45
S3	2	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 18:49
S4	3	10/714421	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 18:50
S5	1	10/715421	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 18:50